



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/724,778	12/02/2003	Hiroi Kazushige	501.42868X00	1915
24956 7590 12/27/2007 MATTINGLY, STANGER, MALUR & BRUNDIDGE, P.C. 1800 DIAGONAL ROAD SUITE 370 ALEXANDRIA, VA 22314				
EXAMINER				
VU, THANH T				
ART UNIT		PAPER NUMBER		
2174				
MAIL DATE		DELIVERY MODE		
12/27/2007		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/724,778

**Applicant(s)**

KAZUSHIGE ET AL.

**Examiner**

THANH T. VU

**Art Unit**

2174

**Period for Reply** -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 01 October 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 2-4, 7-13, 15 and 17-19 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 2, 3-4, 7-13, and 15, and 17-19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

### DETAILED ACTION

This communication is responsive to Amendment, filed 10/01/2007.

Claims 2, 3-4, 7-13, 15, and 17-19 are pending in this application. In the Amendment, claims 1, 5-6, 14, 16, and 20-21 were cancelled, and claims 2, 3-4, 7-13, 15, and 17-19 were amended. This action is made Final.

### *Claim Rejections - 35 USC § 102*

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim 13 is rejected under 35 U.S.C. 102(e) as being anticipated by Ludwig et al. (“Lugwig”, U.S. Pat. No. 7,185,054).

Per claim 13, Lugwig teaches a communication system comprising  
a network (fig. 1; WAN, MLAN; col. 6, lines 1-7); and  
at least two terminal units connected thereto, wherein each terminal unit comprises (fig. 1; WAN, MLAN; col. 6, lines 1-7):  
session controlling means for controlling a session for enabling transmission/receiving of voice, image, and handwritten data to/from a remote terminal unit individually (col. 6, lines 28-39; *bidirectional communication of audio and video data*; col. 19, lines 11-18 and col. 36, lines 50-56; *share button to share a snap shot image*; col. 36, lines 58-63; *annotate the image, see figs. 37 and 40*);

display means for displaying said image and said handwritten data (figs. 37 and 40; *handwritten data 222, 250 and 251*),

wherein said image data and said handwritten data are overlapped and displayed on a display of said display means (fig. 37; col. 37, line 10-12; *handwritten data and image 220 data are overlapped on the display*).

wherein the terminal further comprises: an image data transmission controlling means for controlling transmission of image data (col. 26, lines 24-60; *a participant can share snapshot of image data by selecting SHARE button*); and an image data receiving controlling means for controlling receiving of image data (col. 26, 24-60; *other participants are considers as receiving side of the snapshot image data*) wherein each of the image data transmission controlling means and the image data receiving controlling means selects a name or contents of the basic image data to transmit/receive the selected one to/from the remote terminal unit (col. 26, lines 24-42; col. 27, lines 13-35; *sharing of image data between participants by selecting a portion of a screen (i.e. selecting content of the basic image)*).

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various

claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 2-4, 7-12, and 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ludwig and Ohkado (U.S. Pat. No. 6,542,165).

Per claim 3, Ludwig teaches a communication system comprising:

a network (fig. 1; WAN, MLAN; col. 6, lines 1-7); and

at least two terminal units connected thereto, wherein each terminal unit comprises (fig. 1; WAN, MLAN; col. 6, lines 1-7):

session controlling means for controlling a session for enabling transmission/receiving of voice, image, and handwritten data to/from a remote terminal unit individually (col. 6, lines 28-39; *bidirectional communication of audio and video data*; col. 19, lines 11-18 and col. 36, lines 50-56; *share button to share a snap shot image*; col. 36, lines 58-63; *annotate the image, see figs. 37 and 40*);

display means for displaying said image and said handwritten data (figs. 37 and 40; *handwritten data 222, 250 and 251*),

wherein said image data and said handwritten data are overlapped and displayed on a display of said display means (fig. 37; col. 37, line 10-12; *handwritten data and image 220 data are overlapped on the display*).

Ludwig does not teach wherein the terminal unit further comprises: an image/handwritten data managing means for managing image/handwritten data, wherein the image/handwritten data managing means has a plurality of planes, and wherein the managing means displays basic image data on one of the plurality of planes, the one of the plurality of planes being an image data plane, and displays handwritten data currently handled in communication on a different plane, the different plane being a handwritten data plane, so that image and handwritten data are displayed so as to overlap each other by putting the different planes in layers. However, Ohkado teaches an image/handwritten data managing means for managing image/handwritten data, wherein the image/handwritten data managing means has a plurality of planes (fig. 5; *transparent window and subject application*), and wherein the managing means displays basic image data on one of the plurality of planes, the one of the plurality of planes being an image data plane (fig. 5; *subject application (ie. an image data plane)*), and displays handwritten data currently handled in communication on a different plane, the different plane being a handwritten data plane (fig. 5; *transparent window (i.e. a handwritten data plane)*), so that image and handwritten data are displayed so as to overlap each other by putting the different planes in layers (fig. 5; col. 3, lines 4-11; *overlapping of transparent window and the application window*). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include annotation window as taught by Ohkado in the invention of Ludwig in order to provide a collaboration system having an application window to share among participants and a transparent window, and transmitting only data on the transparent window, such as graphical image drawn to participants. Thus, this would provide a collaboration system, which reduces unnecessary determination logics to enable a high speed processing.

Per claim 2, the modified Ludwig teaches the communication system according to claim 3, wherein transmission/receiving of voice data is capable while said image data and/or handwritten data are displayed (Ludwig, fig. 37; col. 37, lines 10-27; *accepting calls while image data and/or handwritten data are displayed*).

Per claim 4, the modified Ludwig teaches the communication system according to claim 3, wherein in the terminal unit the image/handwritten data managing means, when having transmitted/received image data, adjusts sizes of the image data plane and the handwritten data plane to the size of the transmitted/received image data (Ludwig, col. 26, lines 24-42 and col. 27, lines 13-22; *a user can adjust sizes of the image data and handwritten data by selecting a smaller or larger portion of a displayed screen to share*.)

Per claim 7, the modified Ludwig teaches the communication system according to claim 3, wherein the terminal unit further comprises:

erasing/information transmitting means for erasing image and handwritten data from the display means through the image/handwritten data managing means and transmitting erasure information to the remote terminal unit (Ludwig, col. 26, lines 31-42 and col. 27, lines 3-12; *a user can erase by a participant and transmit new erased image to other participants*), wherein in the terminal unit the erasing/information transmitting means can select either image or handwritten data or both of image and handwritten data as an object to be erased and erase a selected object from the display means (Ludwig, col. 27, lines 3-12; *restoring of original image by erasing all annotation (handwritten data)*).

Per claim 8, the modified Ludwig teaches the communication system according to claim 3, wherein the terminal unit further comprises: an erasing/information receiving means for

Art Unit: 2174

erasing image and handwritten data from the display means through the image/handwritten data managing means according to the erasure information from the remote terminal unit (Ludwig, col. 26, lines 31-42 and col. 27, lines 3-12 and lines 31-37; *allowing sharing of information between participants*) wherein in the terminal unit, the erasing/information transmitting means notifies the remote terminal unit of completion of the object erasure in return for the erasure information so that the remote terminal erases the object from its display means according to the notice (Ludwig, col. 16, lines 24-42 and col. 27, lines 13-30; *when content of an existing window is replaced with a modified image by one participant, this modified image would replace (erase) the content of the image on other's participant share window because the share window is shared among the participant. The examiner considers the replacement as a notice to replace (erase) of the content of an existing window*).

Per claim 9, the modified Ludwig the communication system according to claim 7, wherein the terminal unit further comprises: an erasing/information receiving means for erasing image and handwritten data from the display means through the image/handwritten data managing means according to the erasure information from the remote terminal unit (Ludwig, col. 26, lines 31-42 and col. 27, lines 3-12 and lines 31-37; *allowing sharing of information between participants*), wherein in the terminal unit the erasing/information transmitting means notifies the remote terminal unit of completion of the object erasure so that the remote terminal erases the object from its display means according to the notice (Ludwig, col. 16, lines 24-42 and col. 27, lines 13-30; *when content of an existing window is replaced with a modified image by one participant, this modified image would replace (erase) the content of the image on other's participant share window because the share window is shared among the participant. The*



*examiner considers the replacement as a notice to replace (erase) of the content of an existing window).*

Per claim 10, the modified Ludwig teaches the communication system according to claim 3, wherein the terminal unit further comprises: storing means for storing data to be processed by the self terminal unit, wherein the storing means can select either image or handwritten data or both of image and handwritten data as an object to be stored and stores the selected object in a storage means (Ludwig, fig 28; col. 27, lines 3-12; *storing of original bit map and the original bit map with annotation (handwritten data)*).

Per claim 11, the modified Ludwig teaches the communication system according to claim 11, wherein in the terminal said session controlling means, when starting and ending image and/or handwritten data communication, can transmit/receive image and/or handwritten data from/to the remote terminal unit registered beforehand without requiring the permission of the receiving-side user (Ludwig, col. 21, lines 4-16; *registering of the collaborative services*; col. 24, lines 43-55; *adding (registering) of other participants*; col. 26, lines 44-60; *sharing mode is initiated without permission from the receiving-side*).

Per claim 12, the modified Ludwig teaches the communication system according to claim 11, wherein in the terminal unit the session controlling means, when starting and ending a voice session, receives voice data from the remote terminal unit registered beforehand without requiring permission of the receiving-side user (Ludwig, col. 22, lines 31-34; *In "intercom Mode", the all incoming calls are accepted automatically. Therefore, no permission from the receiving-side is needed*).

Per claim 17, the modified Ludwig teaches the communication system according to claim 3, wherein the terminal unit further comprises: a handwritten data controlling means for controlling transmission/receiving of handwritten data (col. 26, lines 61-67; *sending of annotation data (handwritten data)*), wherein said handwritten data controlling means collects a sampled handwritten data in a chunk at the predetermined number of sampling times to transmit/receive the chunk of sampled handwritten data (col. 26, lines 31-34 and lines 62-67; *in Ludwig, annotation (handwritten) data sample from one participant will appear virtually simultaneously on the screens of all other participants. In order to achieve this result, the system of Ludwig must send the sampled handwritten data at a frequent interval from one user to other participants. The examiner considers the frequent interval to be "the predetermined number of sampling times".*)

wherein in the terminal the handwritten data controlling means denotes whether or not a notice is received at each chunk of data alternately between the two subject terminal units (col. 26, lines 61-67; *each participant can annotate the image alternately, which actions and results are displayed (received) on the screen of each participants*).

Per claim 18, the modified Ludwig teaches the communication system according to claim 17, wherein in the terminal the handwritten data controlling means permits of editing of handwritten data on the handwritten data plane while prohibited editing of image data on the image data plane (Ludwig, fig. 28; col. 3-12; *annotation is only allowed on second bitmap image and the original image is kept unchanged (or prohibit of editing)*; Ohkado, fig 5; *annotation is only applied to the transparent window (handwritten data plane)*).

Per claim 19, the modified Ludwig teaches the communication system according to claim 3, wherein each terminal unit further comprises: a display controlling means for displaying image and handwritten data on the display means according to instructions received from the image/handwritten data managing means (Ludwig, fig. 37; col. 26, lines 61-67; *action and result of annotation data are received and displayed on the screens of all participants*), wherein the display controlling means prepares the coordinate systems for both the basic image data and handwritten data, enables a position pointed by handwritten data to be exchanged between two terminal units (Ludwig, col. 26, lines 65-67; *tracking mouse movements and sending the information between participants*), wherein in the terminal the display controlling means enable to automatically scroll both of the image data and the handwritten data to display both of the data on the display means of the remote terminal unit if the position pointed by the handwritten data might not be displayed on the display means of the one terminal unit (Ludwig, figs. 36, 37 and 40; *share window 210 and 221 with scroll control allows information cannot display entirely in share window to display*).

Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ludwig and Hwang et al. (U.S. Pat. No. 6,624,827).

Per claim 15, Ludwig teaches a communication system comprising:

a network (fig. 1; WAN, MLAN; col. 6, lines 1-7); and

at least two terminal units connected thereto, wherein each terminal unit comprises (fig. 1; WAN, MLAN; col. 6, lines 1-7):

session controlling means for controlling a session for enabling transmission/receiving of voice, image, and handwritten data to/from a remote terminal unit individually (col. 6, lines 28-

Art Unit: 2174

39; *bidirectional communication of audio and video data*; col. 19, lines 11-18 and col. 36, lines 50-56; *share button to share a snap shot image*; col. 36, lines 58-63; *annotate the image, see figs. 37 and 40*);

display means for displaying said image and said handwritten data (figs. 37 and 40; *handwritten data 222, 250 and 251*),

wherein said image data and said handwritten data are overlapped and displayed on a display of said display means (fig. 37; col. 37, line 10-12; *handwritten data and image 220 data are overlapped on the display*).

Ludwig does not teach a handwritten data inputting means for obtaining handwritten data inputted by a user, wherein the handwritten data inputting means, by one of two terminal units start of transmitting/receiving handwritten data to/from the other, start effecting exclusive control so that one terminal unit is allowed to input/transmit handwritten data in contrast the other terminal unit is not allowed. However, Hwang teaches a handwritten data inputting means for obtaining handwritten data inputted by a user, wherein the handwritten data inputting means, by one of two terminal units start of transmitting/receiving handwritten data to/from the other, start effecting exclusive control so that one terminal unit is allowed to input/transmit handwritten data in contrast the other terminal unit is not allowed (figs. 5-6; col. 1, lines 60-67; *lock request for exclusive control of whiteboard*). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include a lock control as taught by Hwang in the invention of Ludwig in order to effectively lock or prohibit the access to the designated object on share information by allowing only a conference participant having a priority over the designated object to access the designated object.

***Response to Arguments***

Applicants' arguments in the Amendment have been fully considered but are not persuasive.

Applicant argued the following:

a) Claim 13, Ludwig fails to teach or suggest "wherein each of image data transmission controlling means and the image data receiving controlling means select a name or contents of basic image data to transmit/receive the selected one to/from the remote terminal unit"

b) Claim 17, Ludwig fails to teach or suggest "wherein the terminal unit, the handwritten data controlling means denotes whether or not a notice is received at each chunk of data alternately between the two subject terminal units"

c) Claim 3, Ludwig/Ohkado fails teach or suggest "an image/handwritten data managing means for managing image/handwritten data, wherein the image/handwritten data managing means has a plurality of planes, and wherein the managing means displays basic image data on one of the plurality of planes, the one of the plurality of planes being an image data plane, and displays handwritten data currently handled in communication on a different plane, the different plane being a handwritten data plane, so that image and handwritten data are displayed so as to overlap each other by putting the different planes in layers"

d) Claim 7, Ludwig/Ohkado fails teach or suggest "wherein in the terminal unit the erasing/information transmitting means can select either image or handwritten data or both of image and handwritten data as an object to be erased and erase a selected object from the display means"

e) Claim 9, Ludwig/Ohkado fails teach or suggest "wherein in the terminal unit the erasing/information transmitting means notifies the remote terminal unit of completion of the object erasure so that the remote terminal erases the object from its display means according to the notice"

f) Claim 19, Ludwig/Ohkado fails teach or suggest "wherein in the terminal the display controlling means enable to automatically scroll both of the image data and the handwritten data to display both of the data on the display means of the remote terminal unit if the position pointed by the handwritten data might not be displayed on the display means of the one terminal unit"

g) Claim 15, Ludwig/Hwang fails teach or suggest "wherein the handwritten data inputting means, by one of two terminal units start of transmitting/receiving handwritten data to/from the other, start effecting exclusive control so that one terminal unit is allowed to input/transmit handwritten data in contrast the other terminal unit is not allowed"

The examiner does not agree for the following reasons:

As for claims 13, 17, 3, 7, 9, 19, and 15, it is noted that during patent examination, the pending claims must be "given >their< broadest reasonable interpretation consistent with the specification." > In re Hyatt, 211 F.3d 1367, 1372, 54 USPQ2d 1664, 1667 (Fed. Cir. 2000). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Applicant always has the opportunity to amend the claims during prosecution, and broad interpretation by the examiner reduces the possibility that the claim, once issued, will be interpreted more broadly than is justified. In *re Prater*, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-51 (CCPA 1969).

a) Claim 13, Ludwig teaches wherein each of the image data transmission controlling means and the image data receiving controlling means selects a name or contents of the basic image data to transmit/receive the selected one to/from the remote terminal unit (col. 26, lines 24-42; col. 27, lines 13-35; *sharing of image data between participants by selecting a portion of a screen (i.e. selecting content of the basic image)*).

b) claim 17, Ludwig teaches wherein in the terminal the handwritten data controlling means denotes whether or not a notice is received at each chunk of data alternately between the two subject terminal units (col. 26, lines 61-67; *each participant can annotate the image alternately, which actions and results are displayed (received) on the screen of each participants*).

As for claims 3, 7, 9, 19, and 15, in response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

c) Claim 3, Ohkado teaches an image/handwritten data managing means for managing image/handwritten data, wherein the image/handwritten data managing means has a plurality of

planes (fig. 5; *transparent window and subject application*), and wherein the managing means displays basic image data on one of the plurality of planes, the one of the plurality of planes being an image data plane (fig. 5; *subject application (ie. an image data plane)*), and displays handwritten data currently handled in communication on a different plane, the different plane being a handwritten data plane (fig. 5; *transparent window (i.e. a handwritten data plane)*), so that image and handwritten data are displayed so as to overlap each other by putting the different planes in layers (fig. 5; col. 3, lines 4-11; *overlapping of transparent window and the application window*).

d) Claim 7, Ludwig teaches wherein in the terminal unit the erasing/information transmitting means can select either image or handwritten data or both of image and handwritten data as an object to be erased and erase a selected object from the display means (Ludwig, col. 27, lines 3-12; *restoring of original image by erasing all annotation (handwritten data)*).

e) Claim 9, Ludwig teaches wherein in the terminal unit the erasing/information transmitting means notifies the remote terminal unit of completion of the object erasure so that the remote terminal erases the object from its display means according to the notice (Ludwig, col. 16, lines 24-42 and col. 27, lines 13-30; *when content of an existing window is replaced with a modified image by one participant, this modified image would replace (erase) the content of the image on other's participant share window because the share window is shared among the participant. The examiner considers the replacement as a notice to replace (erase) of the content of an existing window*).

f) Claim 19, wherein in the terminal the display controlling means enable to automatically scroll both of the image data and the handwritten data to display both of the data



on the display means of the remote terminal unit if the position pointed by the handwritten data might not be displayed on the display means of the one terminal unit (Ludwig, figs. 36, 37 and 40; *share window 210 and 221 with scroll control allows information cannot display entirely in share window to display*).

g) claim 15, Hwang teaches a handwritten data inputting means for obtaining handwritten data inputted by a user, wherein the handwritten data inputting means, by one of two terminal units start of transmitting/receiving handwritten data to/from the other, start effecting exclusive control so that one terminal unit is allowed to input/transmit handwritten data in contrast the other terminal unit is not allowed (figs. 5-6; col. 1, lines 60-67; *lock request for exclusive control of whiteboard*).

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

***Inquiries***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to THANH T. VU whose telephone number is (571)272-4073. The examiner can normally be reached on Mon- Fri 7:00 AM - 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/T. T. V./  
Examiner, Art Unit 2174

/David A Wiley/  
Supervisory Patent Examiner, Art Unit 2174